

IN THE CLAIMS:

Kindly replace the claims of record with the following full set of claims:

1. (Currently amended) A method, operable in a processing system, for playing a downloaded content, comprising the steps:
reading a pre-stored content ~~which include information relevant to a downloaded content~~ providing additional information regarding a content of said downloaded content;
detecting an available bandwidth;
sending a request for downloading the downloaded content according to the additional information regarding ~~relevant to~~ the downloaded content, wherein the request includes ~~the~~ information of the detected available bandwidth;
receiving the downloaded content according with the detected bandwidth; ~~and~~
playing the downloaded content combined with the pre-stored content: and
monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.
2. (Original)The method according to claim 1, wherein the request includes a URL of a website on which the downloaded content are stored.
3. (Original)The method according to claim 1, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.
4. (Currently amended) A method for playing [[the]] a downloaded content on a processing system, comprising the steps:
reading a pre-stored content~~[[.]] providing additional information regarding a content of said downloaded content~~ which include information relevant to a downloaded content;
detecting a available bandwidth;
selecting a relevant quality of the downloaded content according to the detected

bandwidth information and ~~the additional information regarding relevant to the~~
~~information relevant to the~~ downloaded content;

sending a request for downloading the downloaded content according to the
information relevant to the downloaded content, wherein the request includes the relevant
quality;

receiving the downloaded content according to the relevant quality; ~~and~~

playing the downloaded content combined with the additional information regarding
the content of the downloaded content ~~the pre-stored content~~; and

monitoring the available bandwidth to adjust a quality of the combined downloaded
content and the pre-stored content.

5. (Currently amended) The method according to claim 4, wherein the additional
information regarding relevant to ~~information relevant to~~ the downloaded content
includes an ID of an optical disk, an URL of a website on which the downloaded content
are stored and a quality menu of the downloaded content, wherein the quality menu
includes a plurality of quality options for the downloaded content.

6. (Original) The method according to claim 4, wherein the detecting step is arranged
for detecting throughput of effective information transmitted within a specific period.

7. (Currently amended) A method for playing ~~the~~ downloaded content, comprising the
steps:

reading a pre-stored content which include information ~~relevant to~~ regarding a
content of the [[a]] downloaded content;

detecting a available bandwidth;

selecting a relevant quality of the downloaded content according to the detected
bandwidth information and the information regarding the content of ~~relevant to~~ the
downloaded content;

sending a request for downloading the downloaded content according to the

information ~~relevant to~~ regarding the content of the downloaded content, wherein the request includes the relevant quality;

receiving the downloaded content according to the relevant quality; ~~and~~

playing the downloaded content combined with the information regarding the pre-stored content of the downloaded content; ~~and~~

monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

8. (Currently amended) The method according to claim 7, wherein the information regarding the content of ~~relevant to~~ the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored.

9. (Original) The method according to claim 8, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.

10. (Currently amended) A device for playing a downloaded content, comprising:
a reading means for reading a pre-stored content which include information ~~relevant to~~ a regarding a content to the downloaded content;
a detecting means for detecting an available bandwidth;
a sending means for sending a request for downloading the downloaded content according to the information contained within the pre-stored content ~~relevant to the downloaded content~~, wherein the request includes the information of the bandwidth;
a receiving means for receiving the downloaded content according with the detected bandwidth; ~~and~~
a playing means for playing the downloaded content combined with the pre-stored content; and
a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

11. (Original) The device according to claim 10, wherein the request includes a URL of a website on which the downloaded content are stored.
12. (Original) The device according to claim 10, wherein the detecting means are arranged for detecting throughput of effective information transmitted within a specific period.
13. (Currently amended) A device for playing ~~[[the]]~~ a downloaded content, comprising:
a reading means for reading a pre-stored content which include information regarding a content of the relevant to a downloaded content;
a detecting means for detecting available bandwidth;
a selecting means for selecting relevant quality of the downloaded content according to the detected bandwidth information and the information regarding relevant to the downloaded content;
a sending means for sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;
a receiving means for receiving the downloaded content according to the relevant quality; ~~and~~
a playing means for playing the downloaded content combined with the pre-stored content; and
a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.
14. (Original) The device according to claim 13, wherein the information relevant to the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored and a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded

content.

15. (Original) The device according to claim 13, wherein the detecting means are arranged for detecting throughput of effective information transmitted within a specific period.

16. (Currently amended) A device for playing ~~[[the]]~~ a downloaded content, comprising:

a reading means for reading a pre-stored content which include information ~~relevant to a~~ regarding a content of the downloaded content;

a detecting means for detecting an available bandwidth;

a selecting means for selecting relevant quality of the downloaded content according to the detected bandwidth information and the information regarding the content of ~~relevant to~~ the downloaded content;

a sending means for sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;

a receiving means for receiving the downloaded content according to the relevant quality; ~~and~~

a playing means for playing the downloaded content combined with the pre-stored content; and

a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

17. (Original)The device according to claim 16, wherein the information relevant to the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored.

18. (Original) The device according to claim 17, wherein the detecting means are

arranged for detecting throughput of effective information transmitted within a specific period.